






DRENCHER AND WATER TANK FUNGICIDES



| COMMERCIAL NAME | CODE | % ACTIVE MATERIALS | DOSE USE % V/V | RECOMMENDATIONS |
|--|------|---|---|---|
|  IMACIDE® 7.5 LS | 90 | Imazalil 7.5 % (sulphate) w/v | 0.5 - 0.6 % | A Soluble Liquid Formula (SL) ideal for the drencher, with very little stirring the Imazalil completely solubilizes. When an Emulsifiable Concentrate (EC) formula is used in such applications, active material may be lost due to emulsion breakdown. |
|  CITROPYR® | 1015 | Pyrimethanil 19.2 % w/v + Clove Oil 18.5 % w/v | 0.25 % | Very good control of <i>Penicillium</i> . Excellent tool to combat strains resistant to Imazalil and other fungicides. |
|  CITROPYR® 40 SC | 1022 | Pyrimethanil 40 % w/v | | |
|  TIABENDAZOL 60 | MP62 | Thiabendazole 60 % w/v | - Citrus Fruit: 0.2 - 0.3 % - Pome Fruit: 0.15 - 0.2 % - Papaya: 0.075 % - Banana: 0.035 - 0.075 % | Broad spectrum fungicide for postharvest use on various fruits. |





WAXES EU OTHER FRUITS



| COMMERCIAL NAME | CODE | INGREDIENTS ¹ | CHARACTERISTICS |
|----------------------------------|------|--------------------------|---|
| CITROSOL® A APPLES UE | 723 | Shellac | Market wax for apples. |
| CITROSOL® AK APPLES UE | 711 | Carnauba | Carnauba based market wax for apples, certified Kosher. |

BIOCIDES / DISINFECTANTS






| COMMERCIAL NAME | CODE | % ACTIVE MATERIALS | DOSE USE % V/V | RECOMMENDATIONS |
|--|-------|---|--|--|
|  QUACIDE PQ60 EC | 39 | Poly (hexamethylene-biguanide) 1 % w/w + N-(3-aminopropyl)-N- dodecylpropane-1.3-diamine 1.5 % w/w | Manual washing / spraying: 25 % in water. Air disinfection with X3 Nebulizer: 50 % in water. | Excellent broad spectrum disinfectant for disinfection of environments and surfaces, airborne by nebulization or manual washing and/or spraying. |
|  FUMISPORE® | MP261 | Hydroxyacetic acid (glycolic acid) 4 % w/w | Canister 50 g: 50 - 70 m ³ Canister 400 g: 350 - 500 m ³ Canister 800 g: 800 - 1000 m ³ | Fumigant canister for environmental and surface airborne disinfection in packinghouses. Dry disinfection with a high biocidal efficacy. |
|  DECTOCIDE CDB | 31 | N-(3-aminopropyl)-N- dodecylpropane-1.3- diamine 1.20 % w/w | 1 - 3 % | Reduced foam alkaline detergent disinfectant especially for use in floor cleaning machines and field boxes and bins washing machines. |
|  MIDASAN 334 MF | 28 | Propane-1-ol 34.30 % Isopropane 13.65 % Excipients q.s.p 100.00 % | Ready to use without dilution | Fast-drying hydroalcoholic disinfectant, designed for direct application on packinghouse surfaces and equipment by spraying or immersion. |

¹ Food additive specifically authorized by the EU for fruit in question.

PRODUCTS THAT COMPLY WITH OTHER LEGISLATIONS

FUNGICIDES

| COMMERCIAL NAME | CODE | % ACTIVE MATERIALS | DOSE USE % V/V | RECOMMENDATIONS |
|--|-------|-----------------------|---|---|
|  CITROTEC 45 SC | MP238 | Thiabendazole 45% w/v | Citrus Drencher: 0.25 % - 0.40 % Wax: 1 % - 1.2 % Pome Fruit Drencher: 0.25 % - 0.40 % Plantain/Banana Drencher or immersion: 0.05 % - 0.10 % Avocado/Palta Drencher or immersion: 0.30 % Papaya Drencher or immersion: 0.1 % | Broad spectrum fungicide to be used for various fruits post-harvest. |
|  CITROXONIL 23 SC | 1026 | Fluidoxonil 23 % w/v | Citrus: 0.2 - 0.3 % Cherries: 0.2 % Mangos: 0.12 % Pomegranate: 0.2 - 0.3 % Avocados: 0.25 %* (*) Only shipping to the USA | Broad spectrum fungicide used post-harvest for various fruits: citrus against <i>Penicillium</i> and <i>Diplodia spp</i> ; mango against Anthracnose; pomegranate against <i>Botrytis spp</i> and avocado against Anthracnose and stem decay. |
|  CITROSOL® PYR 360 SC | 1027 | Pyrimethanil 36 % w/v | Drencher and tank: 0.28 % Mix with wax: 0.84 % | Very good control over <i>Penicillium</i> . Excellent tool to control strains resistant to Imazalil and other fungicides. |